


**P**  
**PLUSWAY**  
— M A R B L E S —  
TIMELESS BEAUTY. LASTING IMPRESSION.

**CARVING**  
COLLECTION

INSPIRED BY **INTRICATE**  
**DETAILS**



Aden Grey R8



Aden Brown R8



Bethany Beige R6



Bethany Bianco R5



Bishkek Gris R6



Bishkek Moka R6



**600x  
600mm**



Design :  
Bethany Bianco

Bitcon Bianco R4



Bitcon Crema R4



Brisa Crema R4



Brisa Brown R4



Brisa Bianco R4



Brisa Grey R4



**600x  
600mm**

Beola Crema R5



Beola Bianco R5



Beola Beige R5



Beola Verde R5



Bosco Green R5



Bosco Grey R5



**600x  
600mm**

Bukhara Crema R5




Ballton Statuario R8



Bukhara Gris R5




Crackle Snow Grey



Bukhara Pista R5



Crackle Snow White



**600x  
600mm**



Design :  
Bukhara Crema

Campus Crema R4



Campus Brown R4




Campus Bianco R4



Campus Nero R4



Campus Blue R4




**600x  
600mm**

Caroll Grey R5




Crosscut White



Caroll Ash R5



Crosscut Grey



Caroll Brown R5



**600x  
600mm**

Carvex Bianco R5



Carvex Brown R4



Carvex Gris R5




Carvex Moca R5



Carvex Sky R5



Cenberra Pista R8



**600x  
600mm**



Design :  
Carvex Bianco

Dellin Crema R8



Dellin Brown R8



Dellin Bianco R8




Dellin Grey R8



Fecto Crema R8



Great Satuario R8



Dellin Bianco R8




Dellin Grey R8



Harms Bianco R6



Harms Grey R6



Dover Crema R3




Dover Beige R3




**600x  
600mm**

Hamilton Statuario R6



Helifax Beige R2



**600x  
600mm**

Laxitone Gris R8




Laxitone Rosata R8



Molta Crema R8



Lilac Statuario R10



Molta Beige R8



Monolith Stone Ash R4



Monolith Stone Brown R4



**600x  
600mm**

Molta Brown R8



Ontario Crema R8



**600x  
600mm**

Nobre Bianco R4



Nobre Crema R4



Nobre Gris R4



Nobre Brown R4



Nobre Pista R4



Nobre Rosata R4



**600x  
600mm**


Panama White R4



Panama Grey R4



Presto Grey R8



Presto Natural R8



Puma Mix R8



Quantum Ash R8



**600x  
600mm**

Rain Forest Bianco R5




Rain Forest Crema R5




Rain Forest Ash R5



Rain Forest Rosata R5



Rain Forest Gris R5



Rosaliya Brown R4



**600x  
600mm**



Design :  
Rosaliya Brown

Regina Crema R8




Regina Brown R8



Regina White R8



Regina Grey R8



Rock Stono Crema R4



Rock Stono Brown R4



600x  
600mm

Rippel Crema R2



Rippel Copper R2



Rippel Grey R2



Rippel Black R2



Sandfeel Bianco R10



Sandfeel Brown R10



600x  
600mm

Senegal Grey R6




Skylar Statuario R3



Solveniya White R4



Solveniya Grey R4




Sunami Bianco R3



Sunami Verde R3



**600x  
600mm**



Design :  
Sunami Bianco

Sweden White R8



Sweden Nero R8



Spiderweb Silver R8




Spiderweb Gris R8



Spiderweb Natural R8



Spiderweb Beige R8




**600x  
600mm**


Stono White R4



Stono Nero R4



Tribeca Statuario R8



**600x  
600mm**

Terzo White



Terzo Crema



Terzo Green



**600x  
600mm**


Terzo Grey



Terzo Beige



Terzo Black



Terzo Choco



**600x  
600mm**



Design :  
Terzo Crema

Woody Crema R2



Yukon Grey R8




Woody Bianco R2



Yukon Beige R8



Wonder Moon R8



**600x  
600mm**

Zarmet Crema R8



Zarmet Bianco R8



Zarmet Beige R8



Zarmet Ash R8



Zarmet Brown R8



Zarmet Coffee R8



**600x  
600mm**

RAHI BEIGE



RAHI BLUE



RAHI OLIVE




600x  
600mm

RAHI GREEN




RAHI CREMA



RAHI BROWN




RAHI GREY




600x  
600mm



GOA AMBER R4




GOA AMBER DECOR-1




GOA BROWN DECOR-3




GOA CAMEL R4



GOA AQUA R4




GOA AQUA DECOR-1



GOA CAMEL DECOR-1



GOA CHARLOTE R4



GOA BROWN R4



GOA BROWN DECOR-1




600x  
600mm

GOA CHARLOTE DECOR-1




GOA CHARLOTE DECOR-2



600x  
600mm

GOA CREMA R4



GOA SPRING R4



GOAOLWINE DECOR-1



**600x  
600mm**


GOA SPRING DECOR-1



GOA SPRING DECOR-2



GOA WHITE R4



GOA WINE




**600x  
600mm**



COSTONE BEIGE R10



COSTONE BIANCO R10



COSTONE WHITE R10



DYWYNE BEIGE R4



COSTONE CREMA R10



COSTONE GREEN R10




DYWYNE BIANCO R4



DYWYNE BROWN R4



COSTONE GREY R10



COSTONE MOCA R10



DYWYNE CREMA R4



DYWYNE GREY R4



600x  
600mm

600x  
600mm

BELDEN BIANCO R4



BELDEN BROWN R4



BELDEN VARDE R4



TEXAS BROWN R6



BELDEN CHOCO R4



BELDEN CREMA R4



TEXAS CREMA R6



TEXAS ROSATA R6



BELDEN GREY R4



BELDEN NERO R4



600x  
600mm

TEXAS WHITE R6




600x  
600mm

CYPRUS BROWN R6



CYPRUS GREY R6



CYPRUS STATUARIO BROWN R12



CYPRUS STATUARIO GREY R12



600x  
600mm



**NOTE-**

**IT IS RECOMMENDED TO USE SPACER OF MINIMUM 3MM BETWEEN TILES , AS JOINT VARIATION OF 3-5 MM MAY COMES DUE TO INHERENT CHARACTERISTICS OF SINGLE FIRED VITRIFIED TILES**

## TECHNICAL SPECIFICATION

| CHARACTERISTIC                              | STANDARD AS PER<br>ISO-13006 / En14411<br>GROUP BIa | SISCON VALUE              | TEST METHOD  |
|---|---|---------------------------|--------------|
| <b>REGULATORY PROPERTIES</b>                |   |                           |              |
| Deviation in length & width                 | ± 0.5%  | ± 0.3%                    | ISO-10545-2  |
| Deviation in thickness                      | ± 0.5%  | ± 4.0%                    | ISO-10545-2  |
| Straightness in side                        | ± 0.5%  | ± 0.1%                    | ISO-10545-2  |
| Rectangularity                              | ± 0.5%  | ± 0.1%                    | ISO-10545-2  |
| Surface flatness                            | ± 0.5%  | ± 0.2%                    | ISO-10545-2  |
| Color difference                            | Unlterned   | No change                 | ISO-10545-16 |
| Glossiness                                  | As per mfg.   | Min 90 %                  | GLOSSO METER |
| <b>STRUCTURAL PROPERTIES</b>                |   |                           |              |
| Water absorption                            | < 0.50%   | < 0.05%                   | ISO-10545-3  |
| Apparent density                            | > 2.0 g/cc  | > 2.10 g/cc               | DIN 51082    |
| <b>MASSIVE MECHANICAL PROPERTIES</b>        |   |                           |              |
| Modulus of repture                          | Min. 35 N/mm <sup>2</sup>                           | Min. 40 N/mm <sup>2</sup> | ISO-10545-4  |
| Breaking strength                           | Min. 1300 N   | Min. 1800 N               | ISO-10545-4  |
| Impact resistance                           | As per mfg.   | Min. 0.55                 | ISO-10545-5  |
| <b>SURFACE MECHANICAL PROPERTIES</b>        |   |                           |              |
| Resistance to surface abrasion (PEI RATING) | As per mfg.   | Min. Class-4              | ISO-10545-7  |
| MOH's hardness                              | As per mfg.   | Min. 5                    | EN 101       |
| <b>THERMO HYGROMRTRIC PROPERTIES</b>        |   |                           |              |
| Frost resistance                            | No damage   | No damage                 | ISO-10545-12 |
| Thermal shock resistance                    | No damage   | No damage                 | ISO-10545-9  |
| Moisture expansion                          | Null  | Null                      | ISO-10545-10 |
| Thermal expansion(COE)                      | Max. 9.0x10 <sup>-6</sup>                           | Max. 6.5x10 <sup>-6</sup> | ISO-10545-8  |
| Crazing resistance                          | As per mfg.   | Min. 10 Cycle             | ISO-10545-11 |
| <b>CHEMICAL PROPERTIES</b>                  |   |                           |              |
| Chemical resistance                         | No damage   | No damage                 | ISO-10545-13 |
| Stain resistance                            | Min. Class 3  | Class 5                   | ISO-10545-14 |
| <b>SEFETY PROPERTIES</b>                    |   |                           |              |
| Slip resistance                             | As per mfg.   | > 0.40                    | ISO-10545-17 |
| Fire resistance                             | As per mfg.   | Fireproof                 | N.A.         |
| Lead & Cafmium given off by glazes tiles    | As per mfg.   | Does not yield Pb & Cd    | ISO-10545-15 |

## PACKING DETAILS

| SIZE      | THICKNESS    | PIECES / BOX | AREA / BOX    | WEIGHT / BOX |
|-----------|--------------|--------------|---------------|--------------|
| 600x600mm | 9mm (Approx) | 4 pcs.       | 1.44 sq. mtr. | 28.5 kgs     |



PLUSWAY

— M A R B L E S —

TIMELESS BEAUTY. LASTING IMPRESSION.

PLUSWAY E.E.

GREECE

Kiprion Iroon 19  
Drapetsona 186 48  
Athens, Greece

NO. +30 6987-167444  
NO. +30 6978-193966

USA

55 West 47 Street, 4<sup>th</sup> Floor  
New York, NY 10036, USA

NO. +1 (201) 486-6329

INDIA

Plot No. 418 EPIP HSIIDC  
INDUSTRIAL ESTATE SECTOR-53  
KUNDLI SONIPAT 131028  
HARYANA, INDIA

NO. +91 98701 62128

[info@plusway.in](mailto:info@plusway.in)

[fsunny8573@gmail.com](mailto:fsunny8573@gmail.com)